

## Experimenting Smarter not Harder - Taguchi Methods

Stella Greenwood  
BAE SYSTEMS

ISMOR 18

August 2001 / BAE WGA-PN-ISMOR-05478

---

---

---

---


---

---

---

---

## The Problem



August 2001 / BAE WGA-PN-ISMOR-05478

---

---

---

---

---

---

---

---

## Design of Experiments



Developed in Great Britain in the 1920's



Developed extensively in the academic environment



Few applications in the manufacturing industries

August 2001 / BAE WGA-PN-ISMOR-05478

---

---

---

---

---

---

---

---

## Taguchi Methods

BAE SYSTEMS



- Quality Improvements
- Statistically designed experiments
- Efficient
- 4 variables with 3 levels  
full factorial =  $3^4 = 81$       taguchi =  $1+4*(3-1) = 9$
- 13 variables with 3 levels  
full factorial =  $3^{13} = 1.6 \text{ million}$       taguchi =  $1+13*(3-2) = 27$

August 2001 | BAE-WDA-PN-IBMOR-05478

---

---

---

---

---

---

---

---

## Control Factors

BAE SYSTEMS



RCS Characteristics



Routing/CONOPS



Force Mix

August 2001 | BAE-WDA-PN-IBMOR-05478

---

---

---

---

---

---

---

---

## Noise Factors

BAE SYSTEMS



Weather



Threat SAM Density



Threat Air-Air Density

August 2001 | BAE-WDA-PN-IBMOR-05478

---

---

---


---

---

---

---

---




---

---

---

---

---

---

---

---

BAE SYSTEMS

## Configuration Study

Stella Greenwood  
Martin Jones

---

---

---

---


---

---


---

---


**Objectives** BAE SYSTEMS



Low Survivability?



High Survivability?



August 2001 / BAE WGA / FN / ISMOR 05478

---

---

---

---

---




---

---

---

**BAE SYSTEMS**

### Measures of Effectiveness

-  First detections
-  Missiles launched
-  Pk Failures (Kills)

NB in order to evaluate 'engagements' rather than 'kills' Pks were set close to zero

August 2001 | BAE-WDA-PN-ISMOR-05478

---

---

---

---

---


---

---

---

**BAE SYSTEMS**

### Control Variables

-  • Configuration parameters
- Operational parameters

August 2001 | BAE-WDA-PN-ISMOR-05478

---

---

---

---

---


---

---

---

**BAE SYSTEMS**

### Noise Variables

-  • Scenario
- Ingress Route
- Random seed

August 2001 | BAE-WDA-PN-ISMOR-05478

---

---

---

---

---

---

---

---

**BAE SYSTEMS**

## Taguchi Arrays

- Balanced Array
- Independent Variables

August 2001/BAE-WDA-PN-ISMOR-06478

---

---

---

---

---

---

---

---

**BAE SYSTEMS**

## Experimental Design Matrix - L<sub>36</sub> Taguchi Array

**36 Configurations**

Control Factors	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	
Parameter 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Parameter 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Parameter 18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

- Numbers 1,2 & 3 are replaced with the Low, Medium or High Value of each factor
- 36 configurations out of the full factorial set of 12,754,584 configurations
- 18 hours vs. 700 years

August 2001/BAE-WDA-PN-ISMOR-06478

---

---

---

---

---

---

---

---

**BAE SYSTEMS**

## Raw Results

August 2001/BAE-WDA-PN-ISMOR-06478

---

---

---


---

---

---

---

---




---

---

---


---

---

---

---

---




---

---

---


---

---

---

---

---




---

---

---


---

---

---

---

---




---

---

---

---

---


---

---

---

---

---




---

---

---

---

---


---

---

---

---

---




---

---

---

---

---

---

---


---

---

---







---

---

---

---

---

---

---

